



SITE LOCATION



OVERALL LOCAL SITE LOCATION



COURTHOUSE BLOCK LOCATION - 121 E. DALLAS STREET

PROJECT DATA

PROJECT GENERAL NOTES

- ALL SUBCONTRACTORS ARE RESPONSIBLE FOR REVIEWING ALL SHEETS WITHIN THE DRAWINGS AND SPECIFICATIONS IN ORDER TO ASCERTAIN THE FULL SCOPE OF WORK FOR EACH TRADE. ALL SUBCONTRACTORS SHALL BE RESPONSIBLE FOR FULL COORDINATION AMONG ALL SCOPES OF WORK AS DOCUMENTED IN THE CONTRACT DOCUMENTS. CONTACT ARCHITECT FOR ANY NEEDED SCOPE CLARIFICATION PRIOR TO COMMENCEMENT OF WORK.
- CONTRACTOR WILL FIELD VERIFY ALL DIMENSIONS NOTED IN THIS CONSTRUCTION SET. CONFLICTS IN THE DESIGN WILL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT IN WRITING PRIOR TO COMMENCEMENT OF WORK BY THE CONTRACTOR.
- ALL NEWLY RESTORED WINDOWS ARE TO BE PROTECTED FROM ANY DAMAGES DURING ANY PHASE OF THE CONSTRUCTION. IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REPAIR OR REPLACE ANY DAMAGES TO ANY WINDOW COMPONENT TO THE OWNER'S SATISFACTION. CONTRACTOR WILL COORDINATE ALL REPAIRS TO DAMAGED WINDOWS WITH THE ARCHITECT PRIOR TO CONTINUATION OF WORK. IN ADDITION TO THE PROTECTION OF THE EXISTING WINDOWS, ALL CURRENT (IF ANY) INTERIOR WINDOW SHADES SHALL BE CAREFULLY REMOVED AND STORED DURING THE CONSTRUCTION PROCESS FOR PROTECTION. ANY DAMAGES TO THE CURRENT SHADES WILL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND HIS OBLIGATION TO REPLACE IN KIND, IF SO DAMAGED, TO THE OWNER'S APPROVAL.
- CONTRACTOR AND ALL SUBS SHALL COMPLY WITH THE "SECRETARY OF THE INTERIORS STANDARDS FOR THE TREATMENT OF HISTORIC PROPERTIES" AS PUBLISHED ON THE NATIONAL PARK SERVICE WEBSITE AT: <http://www2.cr.nps.gov/tps/standguide/index.htm>. PRIMARY ATTENTION TO PRESERVATION BRIEF No. 13 FOR THE REPAIR AND THERMAL UPGRADING OF HISTORIC STEEL WINDOWS.
- THE VAN ZANDT COUNTY COURTHOUSE, LOCATED IN CANTON, TEXAS, IS LISTED ON THE NATIONAL REGISTER OF HISTORIC PLACES. THE PROJECT IS AUTHORIZED UNDER THE HISTORIC COURTHOUSE PRESERVATION PROGRAM, TEXAS GOVERNMENT CODE 442.008, ET SEQ. ("PROGRAM"), AND THE RULES PROMULGATED THERE UNDER AT 13 TEXAS ADMINISTRATIVE CODE 12.1, ET SEQ., AND THE INTERLOCAL COOPERATION ACT, GOVERNMENT CODE CHAPTER 791. ALL MATTERS PERTAINING TO THE PROJECT SHALL BE CONDUCTED IN THE CONFORMANCE WITH THE PROCEDURES DESCRIBED IN THE TEXAS HISTORIC COURTHOUSE PRESERVATION PROGRAM, ROUND XII GRANT MANUAL, ALL APPLICABLE STATE AND FEDERAL LAWS, RULES AND REGULATIONS AND THE LEGAL DIRECTIVES OF THE COMMISSION AND ITS STAFF.

CODE ANALYSIS

CODES	
APPLICABLE CODES:	- INTERNATIONAL BUILDING CODE (IBC), 2021 - INTERNATIONAL EXISTING BUILDING CODE (IEBC), 2021 - NFPA 101, LATEST VERSION (EGRESS REQ'S SUPERCEDE IBC) - TEXAS ACCESSIBILITY STANDARDS (TAS)-2012
BUILDING	
DESCRIPTION:	COUNTY COURTHOUSE WITH OFFICE AREAS
CLASSIFICATION:	NON-SEPARATED SINGLE USE, LIMITED AREA: GROUP B BUSINESS AND COURTROOM
CONSTRUCTION TYPE:	TYPE IIA NON-COMBUSTIBLE
AREA / HT. LIMITATIONS:	--
FIRE PROTECTION SYSTEM:	FULLY SPRINKLERED
OCCUPANCY	
OCCUPANTS / AREA:	- OFFICE AREAS - 100 S.F. / OCCUPANT - COURTROOM: ATTORNEY WELL AREA - 40 S.F. / OCCUPANT FIXED SEATING AREA - 18" OF SEATING / OCCUPANT COMMON AREA - 7 S.F. / OCCUPANT
EGRESS	
EGRESS WIDTH / OCCUPANT:	- 0.15" WIDTH / OCCUPANT (DOORS, CORRIDORS) - 0.2" WIDTH / OCCUPANT (STAIRS, RAMPS)
TRAVEL DISTANCE:	250' PER NFPA 36.2.6.2
DEAD END CORRIDORS:	50' PER NFPA 7.5.1.5/36.2.5.2.1 ASSEMBLY 20 FT, NFPA 12.2.5.1.3
COMMON PATH:	100' NFPA 36.2.5.3(2), 38.2.5.3.1 ASSEMBLY OCCUPANCY 20' OR 75' WHEN LESS THAN 50 OCCUPANTS, NFPA 12.2.5-1.2
FIRE PROTECTION	
FIRE SUPPRESSION SYSTEM:	FULLY SPRINKLERED
FIRE EXTINGUISHERS:	- 75' TRAVEL DISTANCE TO EXTINGUISHERS - 10 LB. TYPE ABC EXTINGUISHERS PROVIDED, TYPICAL - 15 LB TYPE K (WET) EXTINGUISHER (FOOD COURT KITCHEN AREA) - CO2 OR CLEAN AGENT TYPE IN ELECTRIC/COMM ROOMS RECESSED OR SEMI-RECESSED ENCLOSED CABINETS; EXCEPT IN STORAGE AREAS, UFC 4-9.1

SHEET INDEX


G0.01	COVER SHEET
G0.02	LOCATION MAPS, SHEET INDEX AND CODE ANALYSIS
A1.00	FIRST FLOOR PLAN
A1.01	SECOND FLOOR PLAN
A1.02	THIRD AND FOURTH FLOOR PLANS
A1.03	FIFTH AND SIXTH FLOOR PLANS
A2.00	EXTERIOR ELEVATIONS - NORTH AND WEST
A2.01	EXTERIOR ELEVATIONS - SOUTH AND EAST
A3.01	FIRST FLOOR WINDOW PHOTOS
A3.02	SECOND FLOOR WINDOW PHOTOS
A3.03	THIRD FLOOR WINDOW PHOTOS
A3.04	FOURTH FLOOR WINDOW PHOTOS
A3.05	FIFTH AND SIXTH FLOOR WINDOW PHOTOS
A6.00	EXTERIOR WINDOW SCHEDULE
A6.01	EXTERIOR WINDOW TYPES

KOMATSU
ARCHITECTURE



THIS RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HALEY ST SUITE 300, FORT WORTH, TX.


THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION
121 E. DALLAS STREET
CANTON, TX 75103
LOCATION MAPS, SHEET INDEX, CODE ANALYSIS

SHEET SIZE	22" X 34"
SCALE:	NOT TO SCALE
KAI JOB NUMBER:	2023.113
SPECIFICATIONS NO.:	
DATE:	OCT. 30, 2025
SHEET	

G0.02



1 FLOOR PLAN - LEVEL 1
 1/8" = 1'-0"

NOTES BY SYMBOL

1. EXISTING PERIMETER WINDOW FRAME CAULKING TO BE REMOVED AND REPLACED. CAULKING COLOR TO MATCH FRAME
2. SEALANTS AT ALL GLASS PANES ARE TO BE CAREFULLY REMOVED THEN REPLACED WITH NEW.
3. REPLACE ALL CRACKED AND/OR BROKEN GLASS
4. HEAVY STONE FACADE SPALLING IN AREA. CARE IS TO BE TAKEN TO ENSURE NO FURTHER DAMAGES ARE DONE DURING WINDOW WORK.
5. REMOVE ALL RUSTING FROM WINDOW FRAME AND REPAIR IN ACCORDANCE TO WINDOW RESTORATION PROJECT NOTES LOCATED ON SHEETS A2.00 AND A2.01.
6. REMOVE METAL SHEET INFILL AND REPLACE WITH GLASS PANES
7. REMOVE ALL CURRENT GLASS PANES AND REPLACE WITH CLEAR GLASS. TYPE AND THICKNESS TO EQUAL WINDOWS LOCATED ON LOWER LEVELS.
8. OBSCURE WINDOWS SHALL BE REPLACED WITH SAME TYPES AT RESTROOM WINDOW LOCATIONS.
9. REMOVE SHEET METAL COVERING OVER WINDOW UNITS TO EXPOSE EXISTING FRAMES AND GLAZING. REPAIR ALL DAMAGES TO ADJACENT MASONRY CAUSED BY COVER REMOVAL OR EXISTING ANCHORING.
10. REMOVE WINDOW HARDWARE FOR REPAIRS AND/OR RESTORATION AS NEEDED THEN RE-INSTALL. IF HARDWARE NEEDS REPLACEMENT DUE TO EXCESSIVE DAMAGES OR NON WORKING ORDER, REPLACEMENT HARDWARE SHALL BE EXACT IN ALL MANNER OF DESIGN AND OPERATIONS.
11. WINDOW HAS METAL SHUTTERS ON INSIDE. CONTRACTOR TO OPEN AND INVESTIGATE SHUTTERS TO ENSURE PROPER OPERATIONS. CLEAN AND REPAIR AS NEEDED. CHECK INTERIOR SIDE OF WINDOW FRAME AND CASEMENT FOR NEEDED REPAIRS IN ACCORDANCE TO PLAN SCOPE.
12. METAL BARS OVER WINDOW. REMOVE TO MAKE REPAIRS TO WINDOW AND FRAME, THEN REPLACE AFTER CLEANING AND REPAINTING.
13. METAL SHEETING COVERS WINDOW


GENERAL NOTES

- A. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THE CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- B. REFER TO ELEVATIONS SHEETS A2.00 AND A2.01 FOR ADDITIONAL GENERAL NOTES.
- C. PRIOR TO ANY WORK TO WINDOWS, A REPORT ANALYSIS IS TO BE MADE TO SEE IF ANY ASBESTOS CONTAINING MATERIALS ARE PRESENT IN THE CAULKING MATERIALS WITHIN ANY PORTIONS OF THE WINDOW UNITS.
- D. A LEAD BASED PAINT (LBP) ANALYSIS IS TO BE CONDUCTED ON THE WINDOW FRAMES AND CASINGS PRIOR TO ANY WORK BEGINNING.
- E. EACH NOTE BY SYMBOL ABOVE MAY NOT ADDRESS EVERY ISSUE WITH THE WINDOW IN FULL THE NOTE IS ADDRESSING, THEREFORE THE CONTRACTOR SHALL REVIEW EACH WINDOW FOR A MORE THOROUGH REPAIR PLAN BASED ON PROVIDED THE PROJECT NOTES.
- F. ALL WINDOW HARDWARE ON THIS FLOOR SHALL BE RESTORED TO WORKING CONDITION INCLUDING REPLACEMENT OF UN-REPAIRABLE UNITS
- G. ALL WINDOWS WHERE METAL LINTELS ARE PRESENT SHALL HAVE THE LINTEL SCRAPED OF ALL RUSTING AND RE-PAINTED TO MATCH WINDOW FRAME.

KOMATSU
 ARCHITECTURE




THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.
 THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE
 WINDOW RESTORATION
 121 E. DALLAS STREET
 CANTON, TX 75103
 FIRST FLOOR PLAN

SHEET SIZE	22" X 34"
SCALE:	1/8" = 1'-0"
KAI JOB NUMBER:	2023.113
SPECIFICATIONS NO.:	
DATE:	OCT. 30, 2025
SHEET	

A1.00



1 FLOOR PLAN - LEVEL 2
 1/8" = 1'-0"

NOTES BY SYMBOL

1. EXISTING PERIMETER WINDOW FRAME CAULKING TO BE REMOVED AND REPLACED. CAULKING COLOR TO MATCH FRAME
2. SEALANTS AT ALL GLASS PANES ARE TO BE CAREFULLY REMOVED THEN REPLACED WITH NEW.
3. REPLACE ALL CRACKED AND/OR BROKEN GLASS
4. HEAVY STONE FACADE SPALLING IN AREA. CARE IS TO BE TAKEN TO ENSURE NO FURTHER DAMAGES ARE DONE DURING WINDOW WORK.
5. REMOVE ALL RUSTING FROM WINDOW FRAME AND REPAIR IN ACCORDANCE TO WINDOW RESTORATION PROJECT NOTES LOCATED ON SHEETS A2.00 AND A2.01.
6. REMOVE METAL SHEET INFILL AND REPLACE WITH GLASS PANES
7. REMOVE ALL CURRENT GLASS PANES AND REPLACE WITH CLEAR GLASS. TYPE AND THICKNESS TO EQUAL WINDOWS LOCATED ON LOWER LEVELS.
8. OBSCURE WINDOWS SHALL BE REPLACED WITH SAME TYPES AT RESTROOM WINDOW LOCATIONS.
9. REMOVE SHEET METAL COVERING OVER WINDOW UNITS TO EXPOSE EXISTING FRAMES AND GLAZING. REPAIR ALL DAMAGES TO ADJACENT MASONRY CAUSED BY COVER REMOVAL OR EXISTING ANCHORING.
10. REMOVE WINDOW HARDWARE FOR REPAIRS AND/OR RESTORATION AS NEEDED THEN RE-INSTALL. IF HARDWARE NEEDS REPLACEMENT DUE TO EXCESSIVE DAMAGES OR NON WORKING ORDER, REPLACEMENT HARDWARE SHALL BE EXACT IN ALL MANNER OF DESIGN AND OPERATIONS.
11. REMOVE GRATE OVER WINDOW, RESEAL WINDOW PERIMETER AND REPLACE NEWLY PAINTED GRATE.

GENERAL NOTES


- A. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THE CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- B. REFER TO ELEVATIONS SHEETS A2.00 AND A2.01 FOR ADDITIONAL GENERAL NOTES.
- C. PRIOR TO ANY WORK TO WINDOWS, A REPORT ANALYSIS IS TO BE MADE TO SEE IF ANY ASBESTOS CONTAINING MATERIALS ARE PRESENT IN THE CAULKING MATERIALS WITHIN ANY PORTIONS OF THE WINDOW UNITS.
- D. A LEAD BASED PAINT (LBP) ANALYSIS IS TO BE CONDUCTED ON THE WINDOW FRAMES AND CASINGS PRIOR TO ANY WORK BEGINNING.
- E. EACH NOTE BY SYMBOL ABOVE MAY NOT ADDRESS EVERY ISSUE WITH THE WINDOW IN FULL THE NOTE IS ADDRESSING, THEREFORE THE CONTRACTOR SHALL REVIEW EACH WINDOW FOR A MORE THOROUGH REPAIR PLAN BASED ON PROVIDED THE PROJECT NOTES.
- F. ALL WINDOW HARDWARE ON THIS FLOOR SHALL BE RESTORED TO WORKING CONDITION INCLUDING REPLACEMENT OF UN-REPAIRABLE UNITS
- G. ALL WINDOWS WHERE METAL LINTELS ARE PRESENT SHALL HAVE THE LINTEL SCRAPED OF ALL RUSTING AND RE-PAINTED TO MATCH WINDOW FRAME.

SYMBOL	DESCRIPTION	DATE	APPROVED

KOMATSU
ARCHITECTURE




THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.
 THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 8843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL




VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION
 121 E. DALLAS STREET
 CANTON, TX 75103
 SECOND FLOOR PLAN

SHEET SIZE	22" X 34"
SCALE	1/8" = 1'-0"
KAI JOB NUMBER	2023.113
SPECIFICATIONS NO.	
DATE	OCT. 30, 2025
SHEET	



1 FLOOR PLAN - LEVEL 3
 1/8" = 1'-0"



2 FLOOR PLAN - LEVEL 4
 1/8" = 1'-0"

NOTES BY SYMBOL

1. EXISTING PERIMETER WINDOW FRAME CAULKING TO BE REMOVED AND REPLACED. CAULKING COLOR TO MATCH FRAME
2. SEALANTS AT ALL GLASS PANES ARE TO BE CAREFULLY REMOVED THEN REPLACED WITH NEW.
3. REPLACE ALL CRACKED AND/OR BROKEN GLASS
4. HEAVY STONE FACADE SPALLING IN AREA. CARE IS TO BE TAKEN TO ENSURE NO FURTHER DAMAGES ARE DONE DURING WINDOW WORK.
5. REMOVE ALL RUSTING FROM WINDOW FRAME AND REPAIR IN ACCORDANCE TO WINDOW RESTORATION PROJECT NOTES LOCATED ON SHEETS A2.00 AND A2.01.
6. REMOVE METAL SHEET INFILL AND REPLACE WITH GLASS PANES
7. REMOVE ALL CURRENT GLASS PANES AND REPLACE WITH CLEAR GLASS. TYPE AND THICKNESS TO EQUAL WINDOWS LOCATED ON LOWER LEVELS.
8. OBSCURE WINDOWS SHALL BE REPLACED WITH SAME TYPES AT RESTROOM WINDOW LOCATIONS.
9. REMOVE SHEET METAL COVERING OVER WINDOW UNITS TO EXPOSE EXISTING FRAMES AND GLAZING. REPAIR ALL DAMAGES TO ADJACENT MASONRY CAUSED BY COVER REMOVAL OR EXISTING ANCHORING.
10. REMOVE WINDOW HARDWARE FOR REPAIRS AND/OR RESTORATION AS NEEDED THEN RE-INSTALL. IF HARDWARE NEEDS REPLACEMENT DUE TO EXCESSIVE DAMAGES OR NON WORKING ORDER, REPLACEMENT HARDWARE SHALL BE EXACT IN ALL MANNER OF DESIGN AND OPERATIONS.

GENERAL NOTES

- A. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THE CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- B. REFER TO ELEVATIONS SHEETS A2.00 AND A2.01 FOR ADDITIONAL GENERAL NOTES.
- C. PRIOR TO ANY WORK TO WINDOWS, A REPORT ANALYSIS IS TO BE MADE TO SEE IF ANY ASBESTOS CONTAINING MATERIALS ARE PRESENT IN THE CAULKING MATERIALS WITHIN ANY PORTIONS OF THE WINDOW UNITS.
- D. A LEAD BASED PAINT (LBP) ANALYSIS IS TO BE CONDUCTED ON THE WINDOW FRAMES AND CASINGS PRIOR TO ANY WORK BEGINNING.
- E. EACH NOTE BY SYMBOL ABOVE MAY NOT ADDRESS EVERY ISSUE WITH THE WINDOW IN FULL THE NOTE IS ADDRESSING, THEREFORE THE CONTRACTOR SHALL REVIEW EACH WINDOW FOR A MORE THOROUGH REPAIR PLAN BASED ON PROVIDED THE PROJECT NOTES.
- F. ALL WINDOW HARDWARE ON THIS FLOOR SHALL BE RESTORED TO WORKING CONDITION INCLUDING REPLACEMENT OF UN-REPAIRABLE UNITS
- G. ALL WINDOWS WHERE METAL LINTELS ARE PRESENT SHALL HAVE THE LINTEL SCRAPED OF ALL RUSTING AND RE-PAINTED TO MATCH WINDOW FRAME.

NO.	DESCRIPTION	DATE	APPROVED

KOMATSU
 ARCHITECTURE




THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HALEY ST SUITE 300, FORT WORTH, TX.
 THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 8843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION
 121 E. DALLAS STREET
 CANTON, TX 75103
 THIRD AND FOURTH FLOOR PLANS

SHEET SIZE	22" X 34"
SCALE:	1/8" = 1'-0"
KAI JOB NUMBER:	2023.113
SPECIFICATIONS NO.:	
DATE:	OCT. 30, 2025
SHEET	A1.02




1 FLOOR PLAN - LEVEL 5
 1/8" = 1'-0"

NOTES BY SYMBOL

1. EXISTING PERIMETER WINDOW FRAME CAULKING TO BE REMOVED AND REPLACED. CAULKING COLOR TO MATCH FRAME
2. SEALANTS AT ALL GLASS PANES ARE TO BE CAREFULLY REMOVED THEN REPLACED WITH NEW.
3. REPLACE ALL CRACKED AND/OR BROKEN GLASS
4. HEAVY STONE FACADE SPALLING IN AREA. CARE IS TO BE TAKEN TO ENSURE NO FURTHER DAMAGES ARE DONE DURING WINDOW WORK.
5. REMOVE ALL RUSTING FROM WINDOW FRAME AND REPAIR IN ACCORDANCE TO WINDOW RESTORATION PROJECT NOTES LOCATED ON SHEETS A2.00 AND A2.01.
6. REMOVE METAL SHEET INFILL AND REPLACE WITH GLASS PANES
7. REMOVE ALL CURRENT GLASS PANES AND REPLACE WITH CLEAR GLASS. TYPE AND THICKNESS TO EQUAL WINDOWS LOCATED ON LOWER LEVELS.
8. OBSCURE WINDOWS SHALL BE REPLACED WITH SAME TYPES AT RESTROOM WINDOW LOCATIONS.
9. REMOVE SHEET METAL COVERING OVER WINDOW UNITS TO EXPOSE EXISTING FRAMES AND GLAZING. REPAIR ALL DAMAGES TO ADJACENT MASONRY CAUSED BY COVER REMOVAL OR EXISTING ANCHORING.
10. REMOVE WINDOW HARDWARE FOR REPAIRS AND/OR RESTORATION AS NEEDED THEN RE-INSTALL. IF HARDWARE NEEDS REPLACEMENT DUE TO EXCESSIVE DAMAGES OR NON WORKING ORDER, REPLACEMENT HARDWARE SHALL BE EXACT IN ALL MANNER OF DESIGN AND OPERATIONS.
11. REMOVE METAL DOOR AND REPLACE WITH REPLICATED WINDOW TYPE CONSISTENT WITH OTHER ADJACENT WINDOWS ON THIS FLOOR

GENERAL NOTES

- A. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THE CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- B. REFER TO ELEVATIONS SHEETS A2.00 AND A2.01 FOR ADDITIONAL GENERAL NOTES.
- C. PRIOR TO ANY WORK TO WINDOWS, A REPORT ANALYSIS IS TO BE MADE TO SEE IF ANY ASBESTOS CONTAINING MATERIALS ARE PRESENT IN THE CAULKING MATERIALS WITHIN ANY PORTIONS OF THE WINDOW UNITS.
- D. A LEAD BASED PAINT (LBP) ANALYSIS IS TO BE CONDUCTED ON THE WINDOW FRAMES AND CASINGS PRIOR TO ANY WORK BEGINNING.
- E. EACH NOTE BY SYMBOL ABOVE MAY NOT ADDRESS EVERY ISSUE WITH THE WINDOW IN FULL THE NOTE IS ADDRESSING, THEREFORE THE CONTRACTOR SHALL REVIEW EACH WINDOW FOR A MORE THOROUGH REPAIR PLAN BASED ON PROVIDED THE PROJECT NOTES.
- F. ALL WINDOW HARDWARE ON THIS FLOOR SHALL BE RESTORED TO WORKING CONDITION INCLUDING REPLACEMENT OF UN-REPAIRABLE UNITS
- G. ALL WINDOWS WHERE METAL LINTELS ARE PRESENT SHALL HAVE THE LINTEL SCRAPED OF ALL RUSTING AND RE-PAINTED TO MATCH WINDOW FRAME.
- H. ALL GLAZING ON THE FIFTH (5TH) WINDOW RESTORATION EFFORT IS TO BE NEW GLAZING WITH TINT, REFER TO SPEC SECTION 08800 FOR DETAILS.



2 FLOOR PLAN - LEVEL 6
 1/8" = 1'-0"

NO.	DATE	DESCRIPTION	APPROVED

KOMATSU
 ARCHITECTURE

THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HALEY ST SUITE 300, FORT WORTH, TX.

THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 8843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES AND SEAL.

VAN ZANDT COUNTY COURTHOUSE
 WINDOW RESTORATION
 121 E. DALLAS STREET
 CANTON, TX 75103
 FIFTH AND SIXTH FLOOR PLANS

SHEET SIZE	22" X 34"
SCALE:	1/8" = 1'-0"
KAI JOB NUMBER:	2023.113
SPECIFICATIONS NO.:	
DATE:	OCT. 30, 2025
SHEET	

GENERAL NOTES


- A. REFER TO FLOOR PLAN SHEETS FOR ALL NOTES BY SYMBOL DESIGNATIONS [X].
- B. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THEIR CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- C. CONTRACTOR WILL WORK HOURS/DAYS THAT ARE ACCEPTABLE TO THE OWNER AND ARE IN COOPERATION WITH STAFF WORK TIMES. ANY ADDITIONAL TIMES OR CIRCUMSTANCES REQUIRED TO REPAIR AND/OR RESTORE A PARTICULAR WINDOW AND FRAME WILL BE DETERMINED BY COORDINATION WITH COUNTY OFFICIALS.
- D. ALL EQUIPMENT USED ON THE SITE FOR WINDOW ACCESSIBILITY PURPOSES, WILL CAUSE NO DAMAGES TO THE EXISTING PROPERTY GROUND SURFACES. IF DAMAGES HAPPEN TO OCCUR, IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REPAIR OR REPLACE IN KIND, ALL DAMAGES.
- E. ALL EXISTING TREES WILL BE PROTECTED AND GUARDED AGAINST ANY AND ALL DAMAGES WILL WORK IS BEING CONDUCTED.
- F. IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REPAIR OR REPLACE ANY DAMAGES DONE TO THE ADJACENT BUILDING MATERIALS AS WINDOW REPAIRS ARE BEING MADE AND AT NO COST TO THE OWNER.
- G. ANY AND ALL CITY PERMITTING REQUIRED WILL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- H. ANY EXTENSIVE WORK REQUIRED ON ANY WINDOWS THAT WILL REQUIRE ACCESS FROM THE INTERIOR OF THE BUILDING WILL NEED TO BE CLEARED WITH THE OWNER 24 HOURS IN ADVANCE.
- I. ANY CONTRACTOR STAGING AREAS REQUIRED ON THE COURTHOUSE SITE WILL NEED TO BE CLEARED WITH THE OWNER AND ARCHITECT. NO SUB CONTRACTORS WILL PARK IN COURTHOUSE PATRON OR STAFF PARKING SPACES.
- J. REFER TO INDIVIDUAL FLOOR PLAN SHEETS AND THEIR GENERAL NOTES FOR ADDITION INFORMATION AND/OR DIRECTIVES.
- K. ARCHITECT'S ORIGINAL WINDOW ASSESSMENT REPORT WILL BE MADE AVAILABLE TO THE CONTRACTOR FOR ADDITIONAL INFORMATION IF NEEDED.
- L. ALL GLAZING ON FIFTH FLOOR WINDOWS IS TO BE REPLACED WITH TINTED GLASS.

WINDOW RESTORATION PROJECT NOTES


- 1. REMOVE ALL GLASS/GLAZING AT CASEMENT UNITS TO BE RESTORED. ALSO ALL GLASS/GLAZING COMPOUNDS.
- 2. RESTORE UNITS AND FRAMES TO ORIGINAL CONFIGURATION. IF ANY PORTIONS OF THE METAL CASEMENT OR FRAMES REQUIRE REPLACEMENT, ALL MATERIALS WILL MATCH EXANT IN ALL ASPECTS.
- 3. COMPONENTS OF METAL CASEMENTS MAY BE WELDED, BUT CONTRACTOR SHALL REMOVE ALL GLAZING TO ENSURE NO BREAKAGE DUE TO METAL EXPANSION OR DISTORTION. WELDING SHALL BE CONDUCTED TO ENSURE NO PERMANENT DISTORTION OR WARPING OF FRAMES.
- 4. ATTACHMENTS OF REPLACEMENT METAL WINDOW FRAME COMPONENTS MAY BE MADE BY PARTIAL WELDING OR BY MECHANICAL FASTENERS PROVIDED THE CONTRACTOR CAN DEMONSTRATE TO THE ARCHITECT THAT THE ATTACHMENT IS SOUND. COMPLETE FILLING OF JOINTS, VOIDS, OPERATIONS BETWEEN COMPONENTS MAY BE AFFECTED BY THE USE OF STEEL-BASED FILLERS ("BONDO"). THE USE OF THIS MATERIAL SHALL BE ONLY AFTER COMPLETE PREPARATION OF THE STEEL FRAMES FOR PAINTING TO ENSURE COMPLETE ADHESION.
- 5. REMOVE ALL CRACKED OR PARTIAL GLASS. COMPLETELY CLEAN OUT ALL GLAZING COMPOUNDS AT THESE GLAZING BEAD LOCATIONS.
- 6. CUT OUT ALL GLAZING COMPOUND AT ALL GLASS DESIGNATED TO REMAIN. INSPECT GLAZING POINTS AND REPLACE DETERIORATED GLAZING POINTS AS NEEDED. INSTALL NEW GLAZING COMPOUND AT ALL WINDOWS. COLOR SHALL MATCH FRAME.
- 7. CUT OUT ALL SEALANT BETWEEN STEEL WINDOW FRAMES AND ADJACENT MASONRY OPENING SURFACES. REMOVE ALL DUST AND PARTICULATE MATTER BY COMPRESSED AIR BLOWING AND NATURAL BRISTLE BRUSHING.
- 8. INSPECT ALL SURFACES OF STEEL WINDOWS AND UNEVEN AREAS CAUSED BY RUSTING. FILL PIN-HOLE VOIDS WITH STEEL BASED EPOXY FILLER. SAND SMOOTH ALL PATCHES WITH FINAL CONTOURS MATCHING THE ORIGINAL METAL SURFACE.
- 9. COMPLETELY CLEAN AND PREPARE ALL STEEL FRAME AND CASEMENT SURFACES FOR SUBSEQUENT PAINTING. BURNING OF RUST BY MEANS OF TORCHES (OXYACETYLENE OR PROPANE) IS NOT PERMITTED.
- 10. WIRE BRUSH AND SANDPAPER (ALUMINUM OXIDE) ALL SURFACES TO REMOVE LIGHT RUSTING, LOOSE OR SCALING PAINT, DIRT, ETC.
- 11. WINDOWS WHERE A MORE SEVERE RUST DETERIORATION HAS OCCURRED, LOW PRESSURE SAND BLASTING OR GLASS BEAD BLASTING ME BE EMPLOYED. PRESSURE SHALL NOT BE GREATER THAN 80-100 PSI WITH GRIT SIZE No. 10-45.
- 12. SAND BLASTING SHOULD ONLY BE PERFORMED USING PENCIL POINT BLASTING NOZZLE TO ENSURE CONTROL OF BLAST SURFACE. ALL GLASS AND ALL MASONRY ADJACENT TO THE BLASTING SHALL BE COMPLETELY MASKED AND SEALED AGAINST DAMAGES BY OVER SPRAY. ONLY DRY BLASTING IS ALLOWED. NO WET BLASTING IS TO BE EMPLOYED.
- 13. PRIME METAL WINDOWS WITH A RUST-INHIBITOR PRIMER AS SOON AS REFURBISHED SURFACES HAVE CURED.
- 14. REPLACE ALL MISSING SCREWS, BOLTS, ETC. (SEE NOTE BELOW REGARDING OPERATORS AND HARDWARE). SCREWS, BOLTS, ETC. SHALL MATCH EXISTING IS ALL RESPECTS.
- 15. REMOVE ALL WEATHER-STRIPPING. REPLACE WITH NEW WEATHER-STRIPPING COMPATIBLE TO THE SITUATION. INSPECT ALIGNMENT OF FRAMES TO ENSURE PROPER CONTACT WITH AND CLOSURE AGAINST THE WEATHER-STRIPPING.
- 16. FOR ALL WINDOW HARDWARE, CONTRACTOR SHALL PERFORM A COMPREHENSIVE SURVEY OF ALL WINDOWS TO ASCERTAIN TYPES OF REPAIRS OR MAINTENANCE IS REQUIRED.
- 17. REPLACE ALL MISSING HARDWARE SCREWS, BOLTS, ETC. WITH MATCHING CONNECTORS.
- 18. BROKEN, DEFECTIVE OR MISSING HARDWARE PARTS ARE TO BE REPLACED WITH SIMILAR COMPONENTS.
- 19. FULLY CLEAN, LUBRICATE ALL WINDOW HARDWARE HINGES, OPERATORS AND LATCHES.
- 20. RE-GLAZE ALL DETERIORATED GLAZING.
- 21. INSPECT ALL WINDOW STEEL LINTELS FOR EXCESSIVE RUST OR RUST JACKING. INFORM ARCHITECT IMMEDIATELY IF ANY LINTEL IS FOUND TO BE BEYOND REPAIRS SO A REPLACEMENT DESIGN CAN BE PROVIDED. ALL OTHER LINTELS ARE TO HAVE ANY RUST AND EXISTING PAINT REMOVED AND PREPPED FOR RE-PAINTING. COLOR WILL BE DETERMINED.

NOTES BY SYMBOL

- 1. REFER TO FLOOR PLANS A1.01, A1.02 AD A1.03 FOR ALL NOTES BY SYMBOL DESIGNATIONS TO EACH WINDOW



1 SOUTH EXTERIOR ELEVATION
A2.01 1/8" = 1'-0"



2 EAST EXTERIOR ELEVATION
A2.01 1/8" = 1'-0"

<p>KOMATSU ARCHITECTURE</p>	<p>REVISIONS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>NO.</th> <th>DATE</th> <th>DESCRIPTION</th> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	NO.	DATE	DESCRIPTION									
NO.	DATE	DESCRIPTION											
<p>THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HALEY ST SUITE 300, FORT WORTH, TX.</p> <p>THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL.</p>													
<p>VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION</p> <p>121 E. DALLAS STREET CANTON, TX 75103</p> <p>EXTERIOR ELEVATION - SOUTH AND EAST</p>													
<p>SHEET SIZE: 22" X 34" SCALE: 1/8" = 1'-0" KAI JOB NUMBER: 2023.113 SPECIFICATIONS NO.: DATE: OCT. 30, 2025 SHEET</p>													
<p>A2.01</p> <p>© 2024 Komatsu Architecture, Inc.</p>													



WINDOW 101 – EAST VIEW



WINDOW 102 – EAST VIEW



WINDOW 103 – EAST VIEW



ENTRY – EAST VIEW




WINDOW 104 – EAST VIEW



WINDOW 105 – EAST VIEW



WINDOW 106 – NORTH VIEW



WINDOW 107 – NORTH VIEW



WINDOW 108 – NORTH VIEW



WINDOW 109 – NORTH VIEW



WINDOW 110 – NORTH VIEW



WINDOW 111 – NORTH VIEW



WINDOW 112 – NORTH VIEW



WINDOW 113 – NORTH VIEW



WINDOW 114 – NORTH VIEW



WINDOW 115 – NORTH VIEW



WINDOW 116 – WEST VIEW



WINDOW 117 – WEST VIEW



WINDOW 118 – WEST VIEW



WINDOW 119 – WEST VIEW



WINDOW 120 – WEST VIEW



WINDOW 121 – WEST VIEW



WINDOW 122 – SOUTH VIEW



WINDOW 123 – SOUTH VIEW



WINDOW 124 – SOUTH VIEW




VENT EXHAUST – SOUTH VIEW



WINDOW 126 – SOUTH VIEW




WINDOW 127 – SOUTH VIEW



WINDOW 128 – SOUTH VIEW



WINDOW 129 – SOUTH VIEW



WINDOW 130 – SOUTH VIEW



WINDOW 131 – SOUTH VIEW



WINDOW 132 – SOUTH VIEW



WINDOW 133 – SOUTH VIEW

GENERAL NOTES

- A. REFER TO FLOOR PLAN SHEETS FOR ALL NOTES BY SYMBOL DESIGNATIONS [X].
- B. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THEIR CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- C. COORDINATE THESE FIRST FLOOR PHOTOS WITH THOSE SHOWN ON FLOOR PLAN A1.00 AND ELEVATIONS SHEETS A2.00 AND A2.01

KOMATSU ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.

THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION

121 E. DALLAS STREET
CANTON, TX 75103

FIRST FLOOR WINDOW PHOTOS

SHEET SIZE	22" X 34"
SCALE:	N.T.S.
KAI JOB NUMBER:	2023.113
SPECIFICATIONS NO.:	
DATE:	OCT. 30, 2025
SHEET	

A3.01



WINDOW 201 - EAST VIEW



WINDOW 202 - EAST VIEW



WINDOW 203 - EAST VIEW



WINDOW 204 - EAST VIEW



WINDOW 205 - EAST VIEW



WINDOW 206 - EAST VIEW



WINDOW 207 - EAST VIEW



WINDOW 208 - NORTH VIEW



WINDOW 209 - NORTH VIEW



WINDOW 210 - NORTH VIEW



WINDOW 211 - NORTH VIEW



WINDOW 212 - NORTH VIEW



WINDOW 213 - NORTH VIEW



WINDOW 214 - NORTH VIEW



WINDOW 215 - NORTH VIEW



WINDOW 216 - NORTH VIEW



WINDOW 217 - NORTH VIEW



WINDOW 218 - NORTH VIEW



WINDOW 219 - WEST VIEW



WINDOW 220 - WEST VIEW



WINDOW 221 - WEST VIEW



WINDOW 222 - WEST VIEW



WINDOW 223 - WEST VIEW



WINDOW 224 - WEST VIEW



WINDOW 225 - WEST VIEW



WINDOW 226 - SOUTH VIEW



WINDOW 227 - SOUTH VIEW



WINDOW 228 - SOUTH VIEW



WINDOW 229 - SOUTH VIEW



WINDOW 230 - SOUTH VIEW



WINDOW 231 - SOUTH VIEW



WINDOW 232 - SOUTH VIEW



WINDOW 233 - SOUTH VIEW



WINDOW 234 - SOUTH VIEW



WINDOW 235 - SOUTH VIEW



WINDOW 236 - SOUTH VIEW



WINDOW 237 - SOUTH VIEW



WINDOW 238 - SOUTH VIEW



WINDOW 239 - SOUTH VIEW

GENERAL NOTES


- A. REFER TO FLOOR PLAN SHEETS FOR ALL NOTES BY SYMBOL DESIGNATIONS [X].
- B. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THEIR CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- C. COORDINATE THESE FIRST FLOOR PHOTOS WITH THOSE SHOWN ON SECOND FLOOR PLAN A1.01 AND ELEVATIONS SHEETS A2.00 AND A2.01

KOMATSU
ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.

THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE
WINDOW RESTORATION

121 E. DALLAS STREET
CANTON, TX 75103

SECOND FLOOR WINDOW PHOTOS

SHEET SIZE: 22" X 34"
SCALE: N.T.S.
KAI JOB NUMBER: 2023.113
SPECIFICATIONS NO.:
DATE: OCT. 30, 2025
SHEET

A3.02

© 2024 Komatsu Architecture, Inc.

XREFS:



WINDOW 301 - EAST VIEW



WINDOW 302 - EAST VIEW



WINDOW 303 - EAST VIEW



WINDOW 304 - EAST VIEW



WINDOW 305 - EAST VIEW



WINDOW 306 - EAST VIEW



WINDOW 307 - EAST VIEW



WINDOW 308 - EAST VIEW


X



WINDOW 309 - NORTH VIEW




WINDOW 310 - NORTH VIEW




WINDOW 311 - NORTH VIEW



WINDOW 312 - NORTH VIEW




WINDOW 313 - NORTH VIEW



WINDOW 314 - NORTH VIEW



WINDOW 315 - NORTH VIEW



WINDOW 316 - NORTH VIEW



WINDOW 317 - NORTH VIEW



WINDOW 318 - NORTH VIEW



WINDOW 319 - NORTH VIEW



WINDOW 320 - NORTH VIEW



WINDOW 321 - NORTH VIEW



WINDOW 322 - WEST VIEW



WINDOW 323 - WEST VIEW




WINDOW 324 - WEST VIEW



WINDOW 325 - WEST VIEW



WINDOW 326 - WEST VIEW



WINDOW 327 - WEST VIEW



WINDOW 328 - WEST VIEW




WINDOW 329 - WEST VIEW



WINDOW 330 - SOUTH VIEW



WINDOW 331 - SOUTH VIEW



WINDOW 332 - SOUTH VIEW



WINDOW 333 - SOUTH VIEW



WINDOW 334 - SOUTH VIEW



WINDOW 335 - SOUTH VIEW



WINDOW 336 - SOUTH VIEW



WINDOW 337 - SOUTH VIEW



WINDOW 338 - SOUTH VIEW



WINDOW 339 - SOUTH VIEW



WINDOW 340 - SOUTH VIEW



WINDOW 341 - SOUTH VIEW



WINDOW 342 - SOUTH VIEW

GENERAL NOTES

- A. REFER TO FLOOR PLAN SHEETS FOR ALL NOTES BY SYMBOL DESIGNATIONS [X].
- B. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THEIR CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- C. COORDINATE THESE FIRST FLOOR PHOTOS WITH THOSE SHOWN ON THIRD FLOOR PLAN A1.02 AND ELEVATIONS SHEETS A2.00 AND A2.01


NO.	DATE	APPROVED

KOMATSU
ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.

THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION

121 E. DALLAS STREET
CANTON, TX 75103

THIRD FLOOR WINDOW PHOTOS

SHEET SIZE	22" X 34"
SCALE	N.T.S.
KAI JOB NUMBER	2023.113
SPECIFICATIONS NO.	
DATE	OCT. 30, 2025
SHEET	

XREFS:




WINDOW 401 - EAST VIEW



WINDOW 402 - EAST VIEW



WINDOW 403 - EAST VIEW



WINDOW 404 - EAST VIEW



WINDOW 405 - EAST VIEW



WINDOW 406 - EAST VIEW



WINDOW 407 - EAST VIEW



WINDOW 408 - NORTH VIEW



WINDOW 409 - NORTH VIEW



WINDOW 410 - NORTH VIEW



WINDOW 411 - NORTH VIEW



WINDOW 412 - NORTH VIEW



WINDOW 413 - NORTH VIEW



WINDOW 414 - NORTH VIEW



WINDOW 415 - NORTH VIEW



WINDOW 416 - NORTH VIEW



WINDOW 417 - WEST VIEW



WINDOW 418 - WEST VIEW




WINDOW 419 - SOUTH VIEW



WINDOW 420 - SOUTH VIEW



WINDOW 421 - SOUTH VIEW



WINDOW 422 - SOUTH VIEW



WINDOW 423 - SOUTH VIEW



WINDOW 424 - SOUTH VIEW



WINDOW 425 - SOUTH VIEW



WINDOW 426 - SOUTH VIEW



WINDOW 427 - SOUTH VIEW

XREFS:

GENERAL NOTES


- A. REFER TO FLOOR PLAN SHEETS FOR ALL NOTES BY SYMBOL DESIGNATIONS [X].
- B. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THEIR CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- C. COORDINATE THESE FIRST FLOOR PHOTOS WITH THOSE SHOWN ON FOURTH FLOOR PLAN A1.02 AND ELEVATIONS SHEETS A2.00 AND A2.01

KOMATSU
ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.

THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE
WINDOW RESTORATION

121 E. DALLAS STREET
CANTON, TX 75103

FOURTH FLOOR WINDOW PHOTOS

SHEET SIZE: 22" X 34"
SCALE: N.T.S.
KAI JOB NUMBER: 2023.113
SPECIFICATIONS NO.:
DATE: OCT. 30, 2025
SHEET

A3.04



WINDOW 501 - EAST VIEW



WINDOW 502 - EAST VIEW



WINDOW 503 - EAST VIEW



WINDOW 504 - EAST VIEW



WINDOW 505 - EAST VIEW



WINDOW 506 - EAST VIEW



WINDOW 507 - EAST VIEW



WINDOW 508 - EAST VIEW

X



WINDOW 509 - NORTH VIEW



WINDOW 510 - NORTH VIEW



WINDOW 511 - NORTH VIEW



WINDOW 512 - NORTH VIEW



WINDOW 513 - NORTH VIEW



WINDOW 514 - NORTH VIEW



WINDOW 515 - NORTH VIEW



WINDOW 516 - NORTH VIEW



WINDOW 517 - NORTH VIEW



WINDOW 518 - NORTH VIEW



WINDOW 519 - NORTH VIEW



WINDOW 520 - WEST VIEW




WINDOW 521 - WEST VIEW



WINDOW 522 - WEST VIEW



WINDOW 523 - WEST VIEW




WINDOW 524 - WEST VIEW




WINDOW 525 - WEST VIEW



WINDOW 526 - WEST VIEW



WINDOW 527 - SOUTH VIEW



WINDOW 528 - SOUTH VIEW



WINDOW 529 - SOUTH VIEW



WINDOW 530 - SOUTH VIEW



WINDOW 531 - SOUTH VIEW



WINDOW 532 - SOUTH VIEW



WINDOW 533 - SOUTH VIEW



WINDOW 534 - SOUTH VIEW



WINDOW 535 - SOUTH VIEW



WINDOW 601 - EAST VIEW



WINDOW 602 - SOUTH VIEW



WINDOW 603 - WEST VIEW

GENERAL NOTES

- A. REFER TO FLOOR PLAN SHEETS FOR ALL NOTES BY SYMBOL DESIGNATIONS [X].
- B. THIS DRAWING SET ILLUSTRATES THE GENERAL CONDITIONS OF THE EXISTING WINDOWS AND FRAMES. THE CONTRACTOR SHALL FIELD VERIFY THEIR CONDITIONS, ASSEMBLY TYPES, AND DIMENSIONS OF ALL EXISTING WINDOW UNITS PRIOR TO BEGINNING WORK.
- C. COORDINATE THESE FIRST FLOOR PHOTOS WITH THOSE SHOWN ON FIFTH AND SIXTH FLOOR PLAN A1.03 AND ELEVATIONS SHEETS A2.00 AND A2.01
- D. ALL GLAZING IN ALL FIFTH FLOOR WINDOWS IS TO BE REPLACED WITH TINTED GLASS.

KOMATSU
ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEY ST SUITE 300, FORT WORTH, TX.

THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 6843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL.



VAN ZANDT COUNTY COURTHOUSE
WINDOW RESTORATION

121 E. DALLAS STREET
CANTON, TX 75103

FIFTH AND SIXTH FLOOR WINDOW PHOTOS

SHEET SIZE	22" X 34"
SCALE:	N.T.S.
KAI JOB NUMBER:	2023.113
SPECIFICATIONS NO.:	
DATE:	OCT. 30, 2025
SHEET	

A3.05

WINDOW SCHEDULE					
Window Number	Window Size	Window Type	Material	Hardware	Remarks
FIRST FLOOR					
101	3'-7" x 5'-6 3/4"	A	METAL		
102	3'-7" x 5'-6 3/4"	A	METAL		
103	3'-7" x 5'-6 3/4"	A	METAL		
104	3'-7" x 5'-6 3/4"	A	METAL		
105	3'-7" x 5'-6 3/4"	A	METAL		
106	3'-7" x 5'-6 3/4"	A	METAL		
107	3'-7" x 5'-6 3/4"	A	METAL		
108	3'-7" x 5'-6 3/4"	A	METAL		
109	3'-7" x 5'-6 3/4"	A	METAL		
110	3'-7" x 5'-6 3/4"	A	METAL		
111	3'-7" x 5'-6 3/4"	A	METAL		
112	3'-7" x 5'-6 3/4"	A	METAL		
113	3'-7" x 5'-6 3/4"	A	METAL		
114	3'-7" x 5'-6 3/4"	A	METAL		
115	3'-7" x 5'-6 3/4"	A	METAL		
116	3'-7" x 5'-6 3/4"	A	METAL		
117	3'-7" x 5'-6 3/4"	A	METAL		
118	3'-7" x 5'-6 3/4"	A	METAL		
119	3'-7" x 2'-6"	C	METAL		
120	3'-7" x 2'-6"	C	METAL		
121	3'-7" x 2'-6"	C	METAL		
122	3'-7" x 2'-6"	C	METAL		
123	3'-7" x 2'-6"	C	METAL		
124	3'-7" x 2'-6"	C	METAL		
125	3'-7" x 2'-6"	--	METAL		
126	3'-7" x 5'-6 3/4"	A	METAL		
127	3'-7" x 5'-6 3/4"	A	METAL		
128	3'-7" x 5'-6 3/4"	A	METAL		
129	3'-7" x 5'-6 3/4"	A	METAL		
130	3'-7" x 5'-6 3/4"	A	METAL		
131	3'-7" x 5'-6 3/4"	A	METAL		
132	3'-7" x 5'-6 3/4"	A	METAL		
133	3'-7" x 5'-6 3/4"	A	METAL		
SECOND FLOOR					
201	3'-7" x 8'-3"	D	METAL		
202	3'-7" x 8'-3"	D	METAL		
203	3'-7" x 8'-3"	D	METAL		
204	4'-2 1/4" x 5'-4 1/2"	F	METAL		
205	3'-7" x 8'-3"	D	METAL		
206	3'-7" x 8'-3"	D	METAL		
207	3'-7" x 8'-3"	D	METAL		
208	3'-7" x 8'-3"	D	METAL		
209	3'-7" x 8'-3"	D	METAL		
210	3'-3" x 8'-3"	E	METAL		
211	3'-3" x 8'-3"	E	METAL		
212	3'-3" x 8'-3"	E	METAL		
213	4'-7 1/4" x 6'-0 1/2"	G	METAL		
214	3'-3" x 8'-3"	E	METAL		
215	3'-3" x 8'-3"	E	METAL		
216	3'-3" x 8'-3"	E	METAL		
217	3'-7" x 8'-3"	D	METAL		
218	3'-7" x 8'-3"	D	METAL		
219	3'-7" x 8'-3"	D	METAL		
220	3'-7" x 8'-3"	D	METAL		
221	3'-7" x 8'-3"	D	METAL		
222	4'-2 1/4" x 5'-4 1/2"	F	METAL		
223	3'-7" x 8'-3"	D	METAL		
224	3'-7" x 8'-3"	D	METAL		
225	3'-7" x 8'-3"	D	METAL		
226	3'-7" x 8'-3"	D	METAL		
227	3'-7" x 8'-3"	D	METAL		
228	3'-7" x 8'-3"	D	METAL		
229	3'-7" x 8'-3"	D	METAL		
230	3'-7" x 8'-3"	D	METAL		
231	3'-7" x 8'-3"	D	METAL		
232	3'-7" x 8'-3"	D	METAL		
233	3'-7" x 8'-3"	D	METAL		
234	3'-7" x 8'-3"	D	METAL		
235	3'-7" x 8'-3"	D	METAL		
236	3'-7" x 8'-3"	D	METAL		
237	1'-2" x 4'-5"	H	METAL		
238	3'-7" x 8'-3"	D	METAL		
239	3'-7" x 8'-3"	D	METAL		

WINDOW SCHEDULE					
Window Number	Window Size	Window Type	Material	Hardware	Remarks
THIRD FLOOR					
301	3' - 7" x 5'-7"	J	METAL		
302	3' - 7" x 5'-7"	J	METAL		
303	3' - 7" x 5'-7"	J	METAL		
304	3' - 7" x 10'-6 1/2"	K	METAL		
305	3' - 7" x 10'-6 1/2"	K	METAL		
306	3' - 7" x 5'-7"	J	METAL		
307	3' - 7" x 5'-7"	J	METAL		
308	3' - 7" x 5'-7"	J	METAL		
309	3' - 7" x 5'-7"	J	METAL		
310	3' - 7" x 5'-7"	J	METAL		
311	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
312	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
313	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
314	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
315	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
316	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
317	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
318	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
319	3' - 6 7/8" x 12'-2 1/4"	L	METAL		
320	3' - 7" x 5'-7"	J	METAL		
321	3' - 7" x 5'-7"	J	METAL		
322	3' - 7" x 5'-7"	J	METAL		
323	3' - 7" x 5'-7"	J	METAL		
324	3' - 7" x 5'-7"	J	METAL		
325	3' - 7" x 10'-6 1/2"	K	METAL		
326	3' - 7" x 10'-6 1/2"	K	METAL		
327	3' - 7" x 5'-7"	J	METAL		
328	3' - 7" x 5'-7"	J	METAL		
329	3' - 7" x 5'-7"	J	METAL		
330	3' - 7" x 5'-7"	J	METAL		
331	3' - 7" x 5'-7"	J	METAL		
332	3' - 7" x 5'-7"	J	METAL		
333	3' - 7" x 5'-7"	J	METAL		
334	3' - 7" x 5'-7"	J	METAL		
335	3' - 7" x 5'-7"	J	METAL		
336	3' - 7" x 5'-7"	J	METAL		
337	3' - 7" x 5'-7"	J	METAL		
338	3' - 7" x 5'-7"	J	METAL		
339	3' - 7" x 5'-7"	J	METAL		
340	3' - 7" x 5'-7"	J	METAL		
341	3' - 7" x 5'-7"	J	METAL		
342	3' - 7" x 5'-7"	J	METAL		
FOURTH FLOOR					
401	3'-2" x 5'-6 3/4"	B	METAL		
402	3'-2" x 5'-6 3/4"	B	METAL		
403	3'-2" x 5'-6 3/4"	B	METAL		
404	3'-2" x 5'-6 3/4"	B	METAL		
405	3'-2" x 5'-6 3/4"	B	METAL		
406	3'-2" x 5'-6 3/4"	B	METAL		
407	3'-2" x 5'-6 3/4"	B	METAL		
408	3'-6 7/8" x 12'-2 1/4"	L	METAL		
409	3'-6 7/8" x 12'-2 1/4"	L	METAL		
410	3'-6 7/8" x 12'-2 1/4"	L	METAL		
411	3'-6 7/8" x 12'-2 1/4"	L	METAL		
412	3'-6 7/8" x 12'-2 1/4"	L	METAL		
413	3'-6 7/8" x 12'-2 1/4"	L	METAL		
414	3'-6 7/8" x 12'-2 1/4"	L	METAL		
415	3'-6 7/8" x 12'-2 1/4"	L	METAL		
416	3'-6 7/8" x 12'-2 1/4"	L	METAL		
417	3'-2" x 5'-6 3/4"	B	METAL		
418	3'-2" x 5'-6 3/4"	B	METAL		
419	3'-2" x 5'-6 3/4"	B	METAL		
420	3'-2" x 5'-6 3/4"	B	METAL		
421	3'-2" x 5'-6 3/4"	B	METAL		
422	3'-2" x 5'-6 3/4"	B	METAL		
423	3'-2" x 5'-6 3/4"	B	METAL		
424	3'-2" x 5'-6 3/4"	B	METAL		
425	3'-2" x 5'-6 3/4"	B	METAL		
426	3'-2" x 5'-6 3/4"	B	METAL		
427	3'-2" x 5'-6 3/4"	B	METAL		

WINDOW SCHEDULE					
Window Number	Window Size	Window Type	Material	Hardware	Remarks
FIFTH FLOOR					
501	3'-7" x 5'-5"	M	METAL		
502	3'-7" x 5'-5"	M	METAL		
503	3'-7" x 5'-5"	M	METAL		
504	3'-7" x 5'-5"	M	METAL		
505	3'-7" x 5'-5"	M	METAL		
506	3'-7" x 5'-5"	M	METAL		
507	3'-7" x 5'-5"	M	METAL		
508	3'-7" x 5'-5"	M	METAL		
509	3'-7" x 5'-5"	M	METAL		
510	3'-7" x 5'-5"	M	METAL		
511	3'-7" x 5'-5"	M	METAL		
512	3'-7" x 5'-5"	M	METAL		
513	3'-7" x 5'-5"	M	METAL		
514	3'-7" x 5'-5"	M	METAL		
515	3'-7" x 5'-5"	M	METAL		
516	3'-7" x 5'-5"	M	METAL		
517	3'-2" x 5'-6 3/4"	B	METAL		
518	3'-2" x 5'-6 3/4"	B	METAL		
519	3'-2" x 5'-6 3/4"	B	METAL		
520	3'-2" x 5'-6 3/4"	B	METAL		
521	3'-2" x 5'-6 3/4"	B	METAL		
522	3'-2" x 5'-6 3/4"	B	METAL		
523	3'-2" x 5'-6 3/4"	B	METAL		
524	3'-2" x 5'-6 3/4"	B	METAL		
525	3'-2" x 5'-6 3/4"	B	METAL		
526	3'-2" x 5'-6 3/4"	B	METAL		
527	3'-2" x 5'-6 3/4"	B	METAL		
528	3'-7" x 5'-5"	M	METAL		
529	3'-7" x 5'-5"	M	METAL		
530	3'-7" x 5'-5"	M	METAL		
531	3'-7" x 5'-5"	M	METAL		
532	3'-7" x 5'-5"	M	METAL		
533	3'-7" x 5'-5"	M	METAL		
534	3'-7" x 5'-5"	M	METAL		
535	3'-7" x 5'-5"	M	METAL		
SIXTH FLOOR					
601	3'-2" x 5'-6 3/4"	B	METAL		
602	3'-2" x 5'-6 3/4"	B	METAL		
603	3'-2" x 5'-6 3/4"	B	METAL		

KOMATSU
ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX.
THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 8843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL




VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION
121 E. DALLAS STREET
CANTON, TX 75103
EXTERIOR WINDOW SCHEDULES


SHEET SIZE: 22" x 34"
SCALE: 1/4" = 1'-0"
KAI JOB NUMBER: 2023.113
SPECIFICATIONS NO.:
DATE: OCT. 30, 2025
SHEET

A6.00


EXTERIOR WINDOW TYPES




TYPE A




TYPE B




TYPE C




TYPE D




TYPE E




TYPE F




TYPE G




TYPE H




TYPE J



TYPE K



TYPE L




TYPE M

KOMATSU ARCHITECTURE



THE RECORD COPY OF THIS DRAWING IS ON FILE AT THE OFFICES OF KOMATSU ARCHITECTURE, INC. 3880 S. HULEN ST SUITE 300, FORT WORTH, TX. THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSES OF REFERENCE, COORDINATION, AND/OR FACILITY MANAGEMENT UNDER THE AUTHORITY OF KARL KOMATSU REG. # 8843 ON ANY MODIFICATION(S) TO THIS DRAWING SHALL BE IN COMPLIANCE WITH THE TEXAS BOARD OF ARCHITECTURAL EXAMINERS' RULES SEAL



VAN ZANDT COUNTY COURTHOUSE WINDOW RESTORATION

121 E. DALLAS STREET CANTON, TX 75103

EXTERIOR WINDOW TYPES

SHEET SIZE	22" X 34"
SCALE	1/4" = 1'-0"
KAI JOB NUMBER	2023.113
SPECIFICATIONS NO.	
DATE	OCT. 30, 2025
SHEET	

A6.01

REVISIONS

SYMBOL	DESCRIPTION	DATE	APPROVED